DELTA

Respiratory protection in hard hat working areas

Delta 90 SFA and Delta+ 90 XFA models provide head protection for welding and fabrication personnel working in extreme conditions, such as shipbuilding, heavy fabrication, mining and construction sites.

Delta respirator systems channel clean breathing air over the welder's face from either a rechargeable, Li-lon battery powered filter pack or locally supplied breathing air source. The adjustable face seal, combined with the 'positive air pressure' design, creates a comfortable breathing zone certified to TH2 European standards, ensuring that 98% of contaminated air remains outside the breathing zone.

- Certified to EN 12941 TH2 and AS/NZS 1716
- Positive pressure design makes breathing effortless
- Li-lon battery powered filter pack or regulated supplied air breathing system
- · Mounting for optional high quality ear defenders

Welding helmets



Delta 90 Heavy duty hard hat and welder's visor meeting EN 397, EN 175, AS/NZS 1801 and AS/NZS 1337.1 (not certified for grinding operations). Includes SA 47 ADF lens.



Delta+ 90
Delta+ 90 XFA has a large and clear impact rated visor.

Note: If using Delta/Delta+ as standalone welding helmets the fabric face seal must

be removed before use.

Respiratory protection



Optional ear defenders
Delta and Delta+ models connect with optional quality ear defenders.



(PAPR)
Integrating head, face and respiratory protection for welding in designated head protection work areas. Features battery powered filter unit and ADF lens.
(Page 23)



(Airline)
Integrating head, face and respiratory protection for welding in designated head protection work areas. Features supplied air regulator and ADF lens specification. (Page 23)

Delta 90 SFA / Delta+ 90 XFA

Integrated head, face and respiratory protection for welders and fabricators

DELTA PRODUCT RANGE

DELTA 90 SFA

+ FA Flow Control




Delta 90 SFA + FA Flow Control 9873310

Delta 90 SFA welding helmet, auto-darkening welding filter SA 47, FA Flow Control unit, air hose, Li-ion battery and charger, flow meter, comfort belt.

Spare parts	
Delta 90 SFA welding helmet	9873066
Protection plate, 10 pcs	W007520
ADF welding filter SA 47 (shades 9-13, size 90 x 110)	SP9873062
Inner protection plate for SA 47 / XA 47 (104 x 54), 5 pcs	SP012952
Welding visor	W007522
Fixing screws, 2 pcs	W007518
Headband	W007519
FA Flow Control unit with Li-ion battery	W013560
Filter cover for FA Flow Control	W013565
Basic filter, 2 pcs	W007490
Sealing ring for FA Flow Control	W007491
Pre-filter for FA Flow Control, 10 pcs	W007492
Odor filter for FA Flow Control, 10 pcs	W007494
Air hose	W007487
Hose protection cover	W007788
Li-ion battery, 4.4 Ah	W007507
Li-ion battery charger	W013564
Flow meter	W007488

Magnifying lenses	
Diopter 1.0 (51 x 108 mm)	9873260
Diopter 1.5 (51 x 108 mm)	9873261
Diopter 2.0 (51 x 108 mm)	9873262
Diopter 2.5 (51 x 108 mm)	9873263
Accessories	
Face seal	W007516
Protective head cover	W007827
Protective neck cover	W007828
Ear muffs, no 12	W007517
Comfort belt	W007489
Heavy duty comfort belt	W007789
Kemppi Tool bag	SP010090



DELTA 90 SFA

+ FA Pressure Flow Control



Delta 90 SFA + FA Pressure Flow Control 9873311

Delta 90 SFA welding helmet, auto-darkening welding filter SA 47, FA Pressure Flow Control unit, flow meter, belt for FA Pressure Flow Control.

Spare parts	
Delta 90 SFA welding helmet	9873066
Protection plate, 10 pcs	W007520
ADF welding filter SA 47 (shades 9-13, size 90 x 110)	SP9873062
Inner protection plate for SA 47 / XA 47 (104 x 54), 5 pcs	SP012952
Welding visor	W007522
Fixing screws, 2 pcs	W007518
Headband	W007519
FA Pressure Flow Control unit with pressure hose	W007515
Air hose	W007501
Hose protection cover	W007788
FA Pressure Flow Control unit	W007496
Silencer for FA Pressure Flow Control	W007498
Valve cap for FA Pressure Flow Control	W007499
Fitting for FA Pressure Flow Control	W007500
FA Pressure Conditioner unit	W007504
Filter for FA Pressure Conditioner	W007505
Flow meter	W007503
·	

Magnifying lenses	
Diopter 1.0 (51 x 108 mm)	9873260
Diopter 1.5 (51 x 108 mm)	9873261
Diopter 2.0 (51 x 108 mm)	9873262
Diopter 2.5 (51 x 108 mm)	9873263
Accessories	
Face seal	W007516
Protective head cover	W007827
Protective neck cover	W007828
Ear muffs, no 12	W007517
Belt for FA Pressure Flow Control	W007502
Spiral hose, 10 m	W007506
Kemppi Tool bag	SP010090

